

WEST Search History for Application 10780547

Creation Date: 2009021023:31

Query	DB	Op.	Plur.	Thes.	Date
5956737.pn.	USPT	OR	YES		02-10-2009
(display adj description\$1) same definition same (XML or HTML)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
WO-2006046667-A1.did.	EPAB	OR			02-10-2009
(display adj description\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description\$1)) and ((web adj2 definition) same (XML or HTML))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description\$1)) and ((table near5 (display\$ or render\$ or view\$)) same cell\$1 same location)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description\$1)) and ((rule\$1 or condition\$1) same ((alter\$ or chang\$ or edit\$ or modif\$) near3 table\$1) same layout)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description\$1)) and ((rule\$1 or condition\$1) same ((alter\$ or chang\$ or edit\$ or modif\$) near3 table\$1))	PGPB, USPT,	OR			02-10-2009

	USOC, EPAB, JPAB, DWPI, TDBD				
((display adj description\$1) and ((rule\$1 or condition\$1) same ((alter\$ or chang\$ or edit\$ or modif\$) near3 table\$1))) and (table\$ same layout)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description\$1) and ((rule\$1 or condition\$1) same ((alter\$ or chang\$ or edit\$ or modif\$) near3 table\$1)) and (table\$ same layout)) and ((rule\$ or condition\$1) same (element\$ or attribute\$1))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description\$1)) and ((defin\$ near5 (element\$1 or attribute\$1)) with (HTML or markup or XML))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description\$1) and ((defin\$ near5 (element\$1 or attribute\$1)) with (HTML or markup or XML))) and (condition\$1 or rule\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description\$1) and ((defin\$ near5 (element\$1 or attribute\$1)) with (HTML or markup or XML)) and (condition\$1 or rule\$1)) and layout	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
(display adj description adj file) with HTML	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR			02-10-2009

	TDBD				
(display adj description adj file) same HTML	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description\$1)) and ((defin\$ near5 (element\$1 or attribute\$1)) with ((description adj file) or HTML))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
(5,475,805 5903902 5956737 7,051276 6,993,711 7,120,868 7,272,789).pn.	USPT	OR			02-10-2009
('5060155' '5668966' '5864805' '5909667' '5956737' '6163785' '6424979' '6430624' '6825844' '20010021928' '20010054049' '20020016801' '20030004836' '20030101164' '20040034520' '20040034651' '20040078190' '20040186705' '20050102628')![pn]	USPT, PGPB	OR			02-10-2009
(5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn.	USPT	OR			02-10-2009
((5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn.) and (layout same (rule\$1 or condition\$1))	USPT	OR			02-10-2009
((5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn. and (layout same (rule\$1 or condition\$1)))) and (HTML or XML)	USPT	OR			02-10-2009
((('5060155' '5668966' '5864805' '5909667' '5956737' '6163785' '6424979' '6430624' '6825844' '20010021928' '20010054049' '20020016801' '20030004836' '20030101164' '20040034520' '20040034651' '20040078190' '20040186705' '20050102628')![pn]) or ((5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn.)	USPT	OR			02-10-2009

((('5060155' '5668966' '5864805' '5909667' '5956737' '6163785' '6424979' '6430624' '6825844' '20010021928' '20010054049' '20020016801' '20030004836' '20030101164' '20040034520' '20040034651' '20040078190' '20040186705' '20050102628')![pn] or (5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn.) and layout	USPT	OR			02-10-2009
((('5060155' '5668966' '5864805' '5909667' '5956737' '6163785' '6424979' '6430624' '6825844' '20010021928' '20010054049' '20020016801' '20030004836' '20030101164' '20040034520' '20040034651' '20040078190' '20040186705' '20050102628')![pn] or (5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn. and layout) and (layout same (rule\$1 or condition\$1))	USPT	OR			02-10-2009
((('5060155' '5668966' '5864805' '5909667' '5956737' '6163785' '6424979' '6430624' '6825844' '20010021928' '20010054049' '20020016801' '20030004836' '20030101164' '20040034520' '20040034651' '20040078190' '20040186705' '20050102628')![pn] or (5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn. and layout and (layout same (rule\$1 or condition\$1))) and (HTML or XML)	USPT	OR			02-10-2009
((('5060155' '5668966' '5864805' '5909667' '5956737' '6163785' '6424979' '6430624' '6825844' '20010021928' '20010054049' '20020016801' '20030004836' '20030101164' '20040034520' '20040034651' '20040078190' '20040186705' '20050102628')![pn] or (5,390,354 5,438,512 5,517,621 5,600,771 5,669,005 5,680,619 5,873,106 5,911,146 6,023,714 6,044,384 6,055,522 6,105,044 6,144,974 6,366,918 6,667,750 6,826,727 6,892,226 6,928,610 7,010,746).pn. and layout and (layout same (rule\$1 or condition\$1)) and (HTML or XML)) and defin\$	USPT	OR			02-10-2009
((display adj description\$1)) and (layout same parameter\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			02-10-2009
((display adj description\$1)) and (layout same parameter\$1 same (display\$ or view\$ or render\$))	PGPB, USPT,	OR			02-10-2009

	USOC, EPAB, JPAB, DWPI, TDBD				
(defin\$ near3 (element\$1 or attribute\$1)) with layout	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-10-2009
((defin\$ near3 (element\$1 or attribute\$1)) with layout) and (condition\$1 same rule\$1 same layout same (element\$1 or attribute\$1))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		02-10-2009
(715/200,202,204,205,227,234,243,244,245,246,760)! [CCLS]	PGPB, USPT	OR			02-10-2009
((715/200,202,204,205,227,234,243,244,245,246,760)! [CCLS]) and ((defin\$ near3 (element\$1 or attribute\$1)) with layout)	PGPB, USPT	OR	YES		02-10-2009
((715/200,202,204,205,227,234,243,244,245,246,760)! [CCLS] and (defin\$ near3 (element\$1 or attribute\$1)) with layout) and ((display adj description\$1))	PGPB, USPT	OR	YES		02-10-2009
adapt\$ same layout same (document or hierarch\$ or structure or node)	PGPB, USPT	OR			02-10-2009
(adapt\$ same layout same (document or hierarch\$ or structure or node)) and (stylesheet\$ with (defin\$ or specif\$) with element\$1)	PGPB, USPT	OR			02-10-2009
6993711 (6374273 5893127 5845299).pn.	USOC	OR			02-10-2009
(6993711 6374273 5893127 5845299).pn.	USPT	OR			02-10-2009
5,475,805.pn.	USPT	OR			02-10-2009
('5263132' '5895476' '5895477' '5903902' '5956737' '6507410' '7051276' '20030229845' '20040153974' '20040176958' '20040205472')! [pn]	USPT, PGPB	OR			02-10-2009
((('5263132' '5895476' '5895477' '5903902' '5956737' '6507410' '7051276' '20030229845' '20040153974' '20040176958' '20040205472')! [pn]) and layout	USPT	OR			02-10-2009
((('5263132' '5895476' '5895477' '5903902' '5956737' '6507410' '7051276' '20030229845' '20040153974'	USPT	OR			02-10-2009

'20040176958' '20040205472')![pn] and layout) and (XML or HTML)					
((('5263132' '5895476' '5895477' '5903902' '5956737' '6507410' '7051276' '20030229845' '20040153974' '20040176958' '20040205472')![pn] and layout and (XML or HTML)) and (template\$1 or stylesheet\$)	USPT	OR			02-10-2009
((('5263132' '5895476' '5895477' '5903902' '5956737' '6507410' '7051276' '20030229845' '20040153974' '20040176958' '20040205472')![pn] and layout and (XML or HTML) and (template\$1 or stylesheet\$)) and (element\$1 or hierarch\$ or node\$1)	USPT	OR			02-10-2009
20060010375 20040100489 20030137522	PGPB, USPT	OR			02-10-2009
20050094206	PGPB, USPT	OR			02-10-2009
(715/523).ccls.	PGPB, USPT	OR			02-10-2009
715/(517,513,526,501.1,500).ccls.	PGPB, USPT	OR			02-10-2009
(715/(517, 513, 526, 501.1, 500).ccls.) or ((715/523).ccls.)	PGPB, USPT	OR			02-10-2009
(715/(517, 513, 526, 501.1, 500).ccls. or (715/523).ccls.) and (content with layout with display\$)	PGPB, USPT	OR			02-10-2009
(715/(517, 513, 526, 501.1, 500).ccls. or (715/523).ccls. and (content with layout with display\$)) and (((defin\$ or specif\$) near3 element\$1) same layout same interface)	PGPB, USPT	OR			02-10-2009
('5263132' '5895476' '5895477' '5903902' '5956737' '6507410' '7051276')![pn]	USPT, PGPB	OR			02-10-2009
(separat\$ with content with layout with display\$).ti.	PGPB, USPT	OR			02-10-2009
separat\$ same content same layout same display\$	PGPB, USPT	OR			02-10-2009
(separat\$ same content same layout same display\$) and (((defin\$ or specif\$) with layout with content)	PGPB, USPT	OR			02-10-2009
(separat\$ same content same layout same display\$ and (((defin\$ or specif\$) with layout with content)) and ((layout near2 (defin\$ or specif\$)) with table with (display\$ or render\$))	PGPB, USPT	OR			02-10-2009
((((defin\$ or specif\$) near2 (element\$ or child)) and layout and (style or color) and table).clm.	PGPB, USPT	OR			02-10-2009

(6826727 or 7028306).pn.	USPT	OR			02-10-2009
20050055635 20050094206	PGPB, USPT	OR			02-10-2009
('5214755' '5337406' '5381523' '5459827' '5475805' '5555362' '5577189' '5644776' '5649216' '5671429' '5745122' '5748963' '5845303' '5953733' '6105044' '6161114' '6185589' '6301213' '6446100')![pn]	USPT, PGPB	OR			02-10-2009
(6,023,714 6,928,610).pn.	USPT	OR			02-10-2009
('5263132' '5390354' '5438512' '5581670' '5600771' '5621873' '5630120' '5630125' '5669005' '5669007' '5673401' '5680619' '5701500' '5708806' '5717945' '5822587' '5860073' '5878421' '5911145' '5956737' '6043817' '6044384' '6199082' '6230173' '6366918')![pn]	USPT, PGPB	OR			02-10-2009
20050055635	PGPB, USPT	OR			02-10-2009
(adapt\$ same layout same (document or hierarch\$ or structure or node)) and (715/(517, 513, 526, 501.1, 500).ccls. or (715/523).ccls. and (content with layout with display\$))	PGPB, USPT	OR			02-10-2009